XLED ONE XL Anthracite

LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841065225
E-Nr. 941501329

- Spotlight without motion detector for wall and ceiling mounting with floodlight-like illumination of large areas
- Never change bulbs again thanks to 50,000 hours LED life (approx. 30 years at 4.5 hours / day)
- LED panel can be swivelled vertically by 180°
- Warm white light (3000 K) and long-life 42,6 W LEDs with 4200 lm, with an illumination of max. 300 sqm
- Incl. mounting accessories - plastic-free packaging

steinel

193 x 259 x 215 mm



XLED ONE XL Anthracite

LED FLOODLIGHT WITHOUT SENSOR

EAN **4007841065225**
E-Nr. **941501329**

Technical Data

DIMENSIONS

Dimensions L × W × H	**193 x 259 x 215 mm**

ELECTRICAL

Mains connection	**220 – 240 V / 50 – 60 Hz**
Power	**42,6 W**

SENSOR TECHNOLOGY

With motion detector	**No**

CONNECTIVITY

Networking	**No**

LIGHTING TECHNOLOGY

Measured luminous flux 360°	**4200 lm**
Colour temperature	**3000 K**
LED colour deviation	**SDCM3**
Colour rendering index	**80-89**
With illuminant	**Yes, STEINEL LED system**
Illuminant	**LED cannot be replaced**
Base	**without**
LED cooling system	**Passive Thermo Control**

LIFETIME

LED lifetime max. °C	**50000 h**
LED lifetime L70B50 25°C	**> 36000 h**
Luminous flux decline per LM80	**L70B10**

SETTINGS

Twilight switch	**No**
Base light function	**No**

HOUSING & MATERIAL

Impact resistance	**IK03**
Protection class (IP)	**IP44**
Protection class	**I**
Ambient temperature	**from -20 up to 40 °C**
Housing material	**Aluminium**
Cover material	**Glass transparent**
Mounting location	**ceiling wall**
Application location	**Outdoors**
Mounting type	**Surface wiring**
Application room	**courtyard & driveway outdoors**
Colour	**Anthracite**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**3 years**

CERTIFICATES & EPREL

EPREL energy efficiency class	**E**
EPREL category	**Surrounded product with integrated light source**


XLED ONE XL Anthracite

LED FLOODLIGHT WITHOUT SENSOR

EAN **4007841065225**
E-Nr. **941501329**

Illustrations

TECHNICAL DRAWINGS



193 x 259 x 215 mm


XLED ONE XL Anthracite

LED FLOODLIGHT WITHOUT SENSOR

EAN **4007841065225**
E-Nr. **941501329**

Wiring Diagrams

WIRING DIAGRAM 1




Circuit diagram

XLED ONE XL Anthracite

LED FLOODLIGHT WITHOUT SENSOR

EAN **4007841065225**
E-Nr. **941501329**


Highlights



Including STEINEL LED system



UV resistant material



High-quality aluminium



Suitable for mounting on ceilings

XLED ONE XL Anthracite

LED FLOODLIGHT WITHOUT SENSOR

EAN **4007841065225**
E-Nr. **941501329**

Accessories

ORDERING INFORMATION

Art.-Nr.	065225
EAN	4007841065225
E-Number	941501329
Typ	**XLED ONE XL Anthracite**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss