GL 65 without motion detector

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841069469
E-Nr. 941790119

- Floor and path luminaire without motion detector made of high-quality aluminium
- Glass body made of high-quality opal glass ensures uniform and soft light distribution
- Warm white light (3000 K) and long-life 8,5 W LEDs with 575 lm
- Incl. mounting accessories - plastic-free packaging

steinel



GL 65 without motion detector

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841069469**
E-Nr. **941790119**

Technical Data

ELECTRICAL

Mains connection	**220 – 240 V / 50 – 60 Hz**
Power	**8,5 W**

SENSOR TECHNOLOGY

With motion detector	**No**

CONNECTIVITY

Networking	**No**
Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

Measured luminous flux 360°	**575 lm**
Efficiency	**68 lm/W**
Colour temperature	**3000 K**
Colour rendering index	**= 80**
With illuminant	**Yes, LED lamp**
Illuminant	**LED cannot be replaced**
LED cooling system	**Passive Thermo Control**
Soft light start	**Yes**

LIFETIME

LED lifetime L70B50 25°C	**> 36000 h**

SETTINGS

With remote control	**No**

HOUSING & MATERIAL

Impact resistance	**IK03**
Protection class (IP)	**IP44**
Protection class	**I**
Ambient temperature	**from -20 up to 40 °C**
Housing material	**Aluminium**
Cover material	**Glass opal**
Mounting location	**Stand mounted**
Application location	**Outdoors**
Mounting type	**Other**
Material	**Aluminium**
Application room	**all round the building courtyard & driveway front door garden outdoors**
Colour	**Anthracite**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**3 years**
House number sheet included	**No**

CERTIFICATES & EPREL

EPREL category	**Surrounded product with integrated light source**


GL 65 without motion detector

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841069469**
E-Nr. **941790119**

Illustrations

TECHNICAL DRAWINGS




GL 65 without motion detector

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841069469**
E-Nr. **941790119**


Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

WIRING DIAGRAM 2




Circuit diagram

GL 65 without motion detector

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841069469**
E-Nr. **941790119**

Highlights



Including STEINEL LED system



High-quality aluminium

GL 65 without motion detector

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841069469**
E-Nr. **941790119**

Accessories

ORDERING INFORMATION

Art.-Nr.	069469
EAN	4007841069469
E-Number	941790119
Typ	**GL 65 without motion detector**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss