

# NightMatic 5000-3 COM1 - schwarz



Product code 4007841011680

E-Nr. 535900320

- UV-resistant plastic
- Large terminal compartment
- Optional corner wall mount bracket
- Optional remote controls

neva  
lux

42 x 95 x 95 mm



NightMatic 5000-3 COM1 - schwarz

Product code 4007841011680  
E-Nr. 535900320

Technical Data

|                                              |                          |                                                    |  |                |                              |  |                                                   |
|----------------------------------------------|--------------------------|----------------------------------------------------|--|----------------|------------------------------|--|---------------------------------------------------|
| IDENTIFICATION                               |                          | Capacitive load in µF                              |  | 176 µF         | Functions                    |  | Night economy mode\nlight ON / OFF in the morning |
| Version                                      | Photo-cell controller    | Switching output 1 number of LED/fluorescent lamps |  | 8 pcs.         | Settings via                 |  | Remote control\nPotentiometers\nSmart Remote      |
| DIMENSIONS                                   |                          | SENSOR TECHNOLOGY                                  |  |                | Twilight setting teach       |  | Yes                                               |
| Dimensions L x W x H                         | 42 x 95 x 95 mm          | Sensor technology                                  |  | Light sensor   | HOUSING & MATERIAL           |  |                                                   |
| ELECTRICAL                                   |                          | CONNECTIVITY                                       |  |                | Protection class (IP)        |  | IP54                                              |
| Mains connection                             | 220 – 240 V / 50 – 60 Hz | Networking                                         |  | Yes            | Ambient temperature          |  | -20 – 50 °C                                       |
| Power                                        | 2000 W                   | Type of networking                                 |  | Master/master  | Mounting location            |  | corner wall                                       |
| Switching output 1 resistive                 | 2000 W                   | Networking via                                     |  | Cable          | Application location         |  | Indoors Outdoors                                  |
| Fluorescent lamps ECG                        |                          | LIGHTING TECHNOLOGY                                |  |                | Mounting type                |  | Surface wiring                                    |
| Fluorescent lamps uncompensated              | 1000 VA                  | Soft light start                                   |  | No             | Material                     |  | Plastic                                           |
| Fluorescent lamps series-compensated         | 400 VA                   | Continuous light                                   |  | selectable, 4h | Application room             |  | outdoors                                          |
| Fluorescent lamps parallel-compensated       | 400 VA                   | Constant light regulation                          |  | No             | Colour                       |  | black                                             |
| Switching output 1 low-voltage halogen lamps |                          | SETTINGS                                           |  |                | RAL colour                   |  | 9005                                              |
| LED lamps < 2 W                              | 100 W                    | Twilight switch                                    |  | Yes            | SCOPE OF DELIVERY & WARRANTY |  |                                                   |
| LED lamps > 2 W < 8 W                        | 300 W                    | Twilight setting                                   |  | 2 – 1000 lx    | Manufacturer warranty        |  | 5 years                                           |
| LED lamps > 8 W                              | 600 W                    | Base light function                                |  | No             | Corner wall bracket included |  | No                                                |
|                                              |                          | Main light adjustable                              |  | No             |                              |  |                                                   |

NightMatic 5000-3 COM1 - schwarz

Product code **4007841011680**  
E-Nr. **535900320**

Accessories

| ARTICLE NUMBER                                                                                  | DESCRIPTION                | CATEGORY       |
|-------------------------------------------------------------------------------------------------|----------------------------|----------------|
|  4007841648015  | Eckwandhalter 3000 schwarz | Corner adapter |
|  4007841035174  | Eckwandhalter 3000 weiss   | Corner adapter |
|  4007841559410 | Service Fernbedienung RC8  | Accessory      |

ORDERING INFORMATION

Art.-Nr.

4007841011680

E-Number

535900320

Typ

NightMatic 5000-3 COM1 - schwarz

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss