

Hallway BT IPD - concealed

PRESENCE DETECTOR

neva
lux

EAN 4007841064556

E-Nr. 535933508

● steinel

67 x 103 x 103 mm



Hallway BT IPD - concealed

PRESENCE DETECTOR

EAN 4007841064556

E-Nr. 535933508

Technical Data

IDENTIFICATION					
Version	Presence detector	Electronic scalability	Yes	Settings via	Bluetooth
DIMENSIONS		Mechanical scalability	No	With remote control	No
Dimensions L x W x H	67 x 103 x 103 mm	Radial range	25 x 3 m (75 m²)	Twilight setting teach	No
ELECTRICAL		Tangential range	25 x 3 m (75 m²)	HOUSING & MATERIAL	
Mains connection	220 – 240 V / 50 – 60 Hz	Mounting height	2,00 – 4,00 m	Protection class (IP)	IP20
SENSOR TECHNOLOGY		Optimal mounting height	2,8 m	Ambient temperature	from -20 up to 50 °C
Max. mounting height	4,00 m	CONNECTIVITY		Mounting location	ceiling
Sensor technology	High frequency	Networking	Yes	Application location	Indoors
Transmission power	< 1 mW	Type of networking	Master/slave	Mounting type	Concealed wiring
HF technology	5,8 GHz	Networking via	Bluetooth	Material	Plastic
With motion detector	Yes	LIGHTING TECHNOLOGY		Application room	Indoors corridor / aisle
Detection	also through glass, wood and stud walls	Soft light start	No	Colour	white
Detection angle	360 °	Continuous light	selectable	RAL colour	9003
Opening angle	140 °	Constant light regulation	No	SCOPE OF DELIVERY & WARRANTY	
Sneak-under protection	Yes	SETTINGS		Manufacturer warranty	5 years
Segment-by-segment masking	No	Twilight switch	No	Corner wall bracket included	No
		Base light function	No		
		Main light adjustable	No		


Hallway BT IPD - concealed

PRESENCE DETECTOR

EAN 4007841064556
E-Nr. 535933508

Illustrations

TECHNICAL DRAWINGS



67 x 103 x 103 mm

MOUNTING HEIGHT

2,00 – 4,00 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
--------------------------	------------------	---------------

Hallway BT IPD - concealed


PRESENCE DETECTOR

EAN 4007841064556

E-Nr. 535933508

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

Hallway BT IPD - concealed

PRESENCE DETECTOR

EAN 4007841064556

E-Nr. 535933508

Highlights



UV-resistant plastic

Hallway BT IPD - concealed

PRESENCE DETECTOR

EAN 4007841064556

E-Nr. 535933508

Accessories

ORDERING INFORMATION		neva lux	
Art.-Nr.	064556	nevalux AG	
EAN	4007841064556	Neugrütstrasse 2	
E-Number	535933508	8610 Uster	
Typ	Hallway BT IPD - concealed	+41 44 508 78 78	
		info@nevalux.swiss	