

IS 3360 40m KNX - surface, sq. black

PRESENCE DETECTOR

neva
lux

EAN 4007841068561

E-Nr. 535918151

● steinel

65 x 95 x 95 mm



IS 3360 40m KNX - surface, sq. black

PRESENCE DETECTOR

EAN 4007841068561
E-Nr. 535918151

Technical Data

IDENTIFICATION		Mounting height		2,50 – 4,00 m	Settings via		ETS software Remote control			
Version	Motion and Presence Detector	Presence range		Ø 3 m (7 m²)	Bus Smart Remote					
		Optimal mounting height		2,8 m	Twilight setting teach			Yes		
DIMENSIONS		HOUSING & MATERIAL								
Dimensions L x W x H		65 x 95 x 95 mm		Protection class (IP)		IP54				
ELECTRICAL		Type of networking		Master/slave		Ambient temperature		from -20 up to 50 °C		
Supply voltage detail		KNX bus		Networking via		KNX bus		Mounting location	ceiling	
SENSOR TECHNOLOGY		KNX functions		Photo-cell controller Basic light level function Light level HVAC output Constant-lighting control Light output 2x Presence output Day / night function Logic gate		Application location		Indoors Outdoors		
Max. mounting height		4,00 m		With bus coupler		Yes		Mounting type		Surface wiring
Sensor technology		passive infrared		LIGHTING TECHNOLOGY		Material		Plastic		
With motion detector		Yes		Continuous light		selectable		Application room		Indoors WC / washroom changing room function room / ancillary room multi-storey / underground car park outdoors production facilities reception / lobby recreation room sports hall stairwell warehouse
Detection angle		360 °		Constant light regulation		Yes		Colour		black
Opening angle		180 °		SETTINGS		Twilight switch		RAL colour		9005
Sneak-under protection		Yes		Twilight setting		2 – 1000 lx		SCOPE OF DELIVERY & WARRANTY		
Segment-by-segment masking		Yes		Time setting		5 s – 15 Min.		Manufacturer warranty		5 years
Electronic scalability		No		Base light function		Yes		Corner wall bracket included		No
Mechanical scalability		No		Main light adjustable		0 - 100 %				
Radial range		Ø 8 m (50 m²)								
Tangential range		Ø 40 m (1257 m²)								
Switching zones		1416 switching zones								


IS 3360 40m KNX - surface, sq. black

PRESENCE DETECTOR

EAN 4007841068561
E-Nr. 535918151

Illustrations

TECHNICAL DRAWINGS



65 x 95 x 95 mm

MOUNTING HEIGHT

2,50 – 4,00 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
--------------------------	------------------	---------------

IS 3360 40m KNX - surface, sq. black

EAN 4007841068561


E-Nr. 535918151

PRESENCE DETECTOR

Highlights



UV-resistant plastic



Large terminal compartment



Optional remote controls




Smart Remote remote control optional

IS 3360 40m KNX - surface, sq. black

PRESENCE DETECTOR

EAN 4007841068561
E-Nr. 535918151

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841593018	Service Fernbedienung RC6 KNX	Other
 4007841592912	Nutzer Fernbedienung RC7 KNX	Accessory
 4007841009151	Smart Remote	Accessory
 4007841056711	Schwarze Blende für IR-Sensoren Aufputz eckig	Accessory
 4007841056735	Schwarze Blende für IR-Sensoren Aufputz rund	Accessory

ORDERING INFORMATION

Art.-Nr.

068561

EAN

4007841068561

E-Number

535918151

Typ

IS 3360 40m KNX - surface, sq. black

nevalux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss