

XLED home 2 Z-Wave graphit

neva
lux

Product code **4007841033996**

- Including STEINEL LED system
- HCMC cooling system
- UV-resistant plastic
- Colour rendering index Ra =80

neva
lux

194 x 180 x 161 mm



XLED home 2 Z-Wave graphit

Product code 4007841033996

Technical Data

IDENTIFICATION					
Variant	graphite	Tangential range	r = 14 m (239 m²)	Luminous flux decline per LM80	L70B10
DIMENSIONS		Transmission range	Up to 100 m in the open, 30 m indoors	SETTINGS	
Dimensions L x W x H	194 x 180 x 161 mm	LIGHTING TECHNOLOGY		Twilight switch	Yes
ELECTRICAL		Colour temperature	4000 K	Twilight setting	2 – 2000 lx
Mains connection	230 – 240 V , 50 / 60 Hz	LED colour deviation	SDCM3	Time setting	8 sec – 35 min
Power	14,8 W	Colour rendering index	80-89	HOUSING & MATERIAL	
SENSOR TECHNOLOGY		With illuminant	Yes, STEINEL LED system	Impact resistance	IK00
Sensor technology	passive infrared	Illuminant	LED cannot be replaced	Protection class (IP)	IP44
With motion detector	Yes	LED cooling system	HCMC (High Conductive Magnesium Composite)	Protection class	II
Detection angle	140 °	Luminous flux	1184 lm	Housing material	HCMC
Sneak-under protection	Yes	LIFETIME		Cover material	Plastic, opal
Segment-by-segment masking	Yes	LED lifetime max. °C	50000 h	SCOPE OF DELIVERY & WARRANTY	
				Manufacturer warranty	5 years

XLED home 2 Z-Wave graphit

Product code 4007841033996

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841029876	Smartfriends Box	

ORDERING INFORMATION

Art.-Nr.

4007841033996

Typ

XLED home 2 Z-Wave graphit

neva
lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss